
MIYAY PROSES

PROSES EKIPMANI TEKNIK DOSYA

MATERIAL HANDLING AND STORAGE SYSTEMS

Slide Gates

Reliable solution for controlled opening and closing of bulk-material flow



EQUIPMENT
Slide Gates

CATEGORY
Material Handling and

MODEL LINE
6 options

OVERVIEW

Slide Gates - Process-focused selection

Every process differs in material properties, connection dimensions, operating conditions, and control requirements. MIYAY Process sizes Slide Gates to meet these requirements and selects the housing, blade, lining, and drive system for each application. Square, rectangular, or circular designs can be supplied to suit different process connections.

TECHNICAL DATA

Project-specific technical summary

Technical parameter	Value	Project note
Equipment Type	Slide gate	Proje verilerine gore netlestirilir
Standard Dimensions	100 - 600 mm	Proje verilerine gore netlestirilir
Body Material	Carbon Steel / AISI 304L / AISI 316L	Proje verilerine gore netlestirilir
Blade Material	ST52 / Hardox / AISI 304L / AISI 316L / custom	Proje verilerine gore netlestirilir
Wear Material	EPDM / PE1000	Proje verilerine gore netlestirilir
Sealing	O-ring	Proje verilerine gore netlestirilir
Drive Type	Manual / pneumatic / electric actuator	Proje verilerine gore netlestirilir

Technical parameter	Value	Project note
Cross-section / connection type	Square/Rectangular/Circular	Proje verilerine gore netlestirilir
Bearing	SKF / FAG	Proje verilerine gore netlestirilir
Flow Structure	Continuous flow in the fully open position	Proje verilerine gore netlestirilir
Position information	On/Off	Proje verilerine gore netlestirilir
design	Process and project specific	Proje verilerine gore netlestirilir

PRODUCT MODELS

Model and size selection table

Model	Dimensions	Body Material	Blade Material	Drive Type
MSK-150	150 mm	Carbon Steel / AISI 304L / AISI 316L	ST52 / Hardox / AISI 304L / AISI 316L	Manual / Pneumatic / Electric Actuator
MSK-200	200 mm	Carbon Steel / AISI 304L / AISI 316L	ST52 / Hardox / AISI 304L / AISI 316L	Manual / Pneumatic / Electric Actuator
MSK-250	250 mm	Carbon Steel / AISI 304L / AISI 316L	ST52 / Hardox / AISI 304L / AISI 316L	Manual / Pneumatic / Electric Actuator
MSK-300	300 mm	Carbon Steel / AISI 304L / AISI 316L	ST52 / Hardox / AISI 304L / AISI 316L	Manual / Pneumatic / Electric Actuator
MSK-350	350 mm	Carbon Steel / AISI 304L / AISI 316L	ST52 / Hardox / AISI 304L / AISI 316L	Manual / Pneumatic / Electric Actuator
MSK-400	400 mm	Carbon Steel / AISI 304L / AISI 316L	ST52 / Hardox / AISI 304L / AISI 316L	Manual / Pneumatic / Electric Actuator

GALLERY

Equipment details and site photos



Image 1



Image 2



Image 3

Slide Gates — Request a quote

Share your capacity, material, and process requirements so our engineering team can assess the right configuration.

REQUEST A QUOTE